

IVECO Daily; Md. 05/2014

EU-Pedestrian Protection Bar 60 mm with cross pipe 42 mm


EU-Personenschutzbügel 60 mm mit Querrohr 42 mm

Barre de protection des piétons UE de 60 mm avec tube transversal intégré 42 mm



ASSEMBLY INSTRUCTION

Montageanleitung • Instructions de montage



35 Minuten

Artikel-Nr:


14A4613 stainless steel

14A5613 black steel

Revision 4: 28.06.2016



ULLSTEIN
CONCEPTS
GMBH









M8 (A2):
21,4 Nm
M8:
25 Nm



TX 10

13














a		M8 x 20; DIN 912 A2	2x
b		M8 x 20; DIN 933 Zn	2x
c		M8 x 25; DIN 933 A2	2x
d		Ø3,5 x 13; DIN ähnl. 7981B A2	2x
e		M8; DIN 6923 Zn	2x
f		M8; DIN 985 Zn	2x
g		Ø 8; DIN 127 Zn	2x
h		Ø 8; DIN 127 A2	4x
i		Ø 4,2; DIN 9021 A2	2x
j		Ø 8,4; DIN 125 Zn	2x
k		Ø 8,4; DIN 9021 A2	4x
l		Ø 8,4; DIN 9021 Zn	2x
m		SW 13	4x

Revision 4: 28.06.2016




ULLSTEIN
CONCEPTS
GMBH







Step 12




Step 13



Step 14



Step 15



Step 16



Revision 4: 28.06.2016



ULLSTEIN
CONCEPTS
GMBH